



*Bright lu*

*phone number :008613901452628*

*Email:luohui@kaiptrade.com*

*Huaian AST Amusement Equipment Co., Ltd.*

*Huaian Kaip International Trade Co.,Ltd.*

*Address:C2,Floor 3,Building 1,NO.16 East Shenzhen*

*Road,Qingjiangpu District,Huaian,Jiangsu ,China*

*<http://jsast.en.alibaba.com>*

*<http://kaip.en.alibaba.com>*



## I LURE BASS BOAT

|             |    |
|-------------|----|
| K468.....   | 4  |
| K498.....   | 6  |
| KM168 ..... | 8  |
| KM178 ..... | 10 |

## II SMALL SPEED BOAT

|           |    |
|-----------|----|
| P110..... | 12 |
| P120..... | 14 |
| V120..... | 16 |
| V130..... | 18 |

## III PONTOON BOAT

|               |    |
|---------------|----|
| YS6220A.....  | 20 |
| K20 FISH..... | 22 |
| K24 .....     | 24 |
| K25 .....     | 26 |
| K27 .....     | 28 |



**K468**







## Standard Configuration★

### Hull Painting

☐ Black
 ☐ White
 ☐ Red
 ☐ Silver
 ☐ Green

Aluminium Deck Anti Corrosion & Hook Carpet

EVA Non-slip Mat \* 2 ( Stern )

Front Motor Foot Padel Connection

Multiple Functional Tool Shelf

Navigation Light

Triangle Fishing Chair \*1

Deck Fishing Rod Strap \*2

2.3m Length Fishing Rod Storage Compartment

Lockable Handle\*1

Bow Storage Compartment \*2

Captain Seat \*2

Fiberglass Console with Switch, Oil Gauge, Voltmeter

Livewell \*1 96L

Stern Storage Compartment \*2 with Plastic Handle \*2

Drainage System \*2 Water Inlet System

European Made Adjustable Outlet Valve

Battery Compartment \*1 with Stainless Steel Handle Lock\*1

Plastic Cleat\*4

Stern Pull Ring \*2

Whole Hull Non Sinking Foam Process

## Specs★

CE Category C

Length 4.68m

Width 1.95m

Transom Height 50cm

Net Weight 436kg

Material 5052

Bottom Thickness 2.5mm

Side Thickness 2.5mm

Transom Thickness 3mm

Fuel Tank Volume 25L

Max Power 60HP/44.7kW

Shaft L

Crew Limit 2

**Max**

 361kg





**K498**







## Standard Configuration★

### Hull Painting

☐ Black
 ☐ White
 ☒ Red
 ☐ Silver
 ☐ Green

Aluminium Deck    Anti Corrosion & Hook Carpet  
 EVA Non-slip Mat \* 2 ( Stern )  
 Front Motor Foot Padel Connection  
 Multiple Functional Tool Shelf  
 Engine Lifting Switch (Including USB)  
 Navigation Light    Triangle Fishing Chair \*1  
 Deck Fishing Rod Strap \*2  
 2.3m Length Fishing Rod Storage Compartment  
 Bow Storage Compartment \*2    Handle Lock \*2  
 Captain Seat \*2  
 Fiberglass Console with Switch, Oil Gauge, Voltmeter, Speedo  
 Livewell \*1 96L  
 Stern Storage Compartment \*2 with Plastic Handle \*2  
 Drainage System \*2    Water Inlet System  
 Water Circulation System    European Made Adjustable Outlet Valve  
 80L Aluminium Alloy Fuel Tank  
 Battery Compartment \*1 with Stainless Steel Handle Lock\*1  
 Stainless Steel Foldable Cleat\*4  
 American Made Fuel Filler Port  
 Stern Pull Ring \*2    Whole Hull Non Sinking Foam Process

## Specs★

|                   |             |
|-------------------|-------------|
| CE Category       | C           |
| Length            | 4.98m       |
| Width             | 2.15m       |
| Transom Height    | 50cm        |
| Net Weight        | 448kg       |
| Material          | 5052        |
| Bottom Thickness  | 2.5mm       |
| Side Thickness    | 2.5mm       |
| Transom Thickness | 3mm         |
| Fuel Tank Volume  | Alu 80L     |
| Max Power         | 60HP/44.7kW |
| Shaft             | L           |
| Crew Limit        | 3           |

**Max**

 + 
 
 + 
 
 533kg






**KM168**







## Standard Configuration★

### Hull Painting

-  Black/White
-  Black/Silver
-  Black/Red
-  Black/Green

Aluminium Deck    Anti Corrosion & Hook EVA Carpet  
 Deck Glove Compartment  
 Front Motor Foot Padel Connection  
 Multiple Functional Tool Shelf  
 Engine Lifting Switch (Including USB)  
 Navigation Light    Livewell & Storage Compartment Lights  
 LED Deck Mood Lighting    Triangle Fishing Chair \*1  
 Stern Fishing Chair \*1    Deck Fishing Rod Strap \*2  
 2.3m Length Fishing Rod Storage Compartment  
 Bow Storage Compartment \*2    Handle Lock \*2    Captain Seat \*2  
 Fiberglass Console with Switch, Oil Gauge, Voltmeter, Speedo  
 1.1m Length Livewell \*1    112L  
 Stern Storage Compartment \*2    with Plastic Handle \*2  
 Drainage System \*2    Water Inlet System  
 Water Circulation System    European Made Adjustable Outlet Valve  
 100L Aluminium Alloy Fuel Tank  
 Battery Compartment \*1 with Stainless Steel Handle Lock\*1  
 Stainless Steel Foldable Cleat\*4  
 American Made Fuel Filler Port  
 Stern Pull Ring \*2    Whole Hull Non Sinking Foam Process

## Specs★

|                   |           |
|-------------------|-----------|
| CE Category       | C         |
| Length            | 4.99m     |
| Width             | 2.3m      |
| Transom Height    | 50cm      |
| Net Weight        | 495kg     |
| Material          | 5052      |
| Bottom Thickness  | 3mm       |
| Side Thickness    | 3mm       |
| Transom Thickness | 4mm       |
| Fuel Tank Volume  | Alu 100L  |
| Max Power         | 90HP/67kW |
| Shaft             | L         |
| Crew Limit        | 3         |

Max  +  +  547kg





**KM178**







## Standard Configuration★

### Hull Painting


-  Black/White
-  Black/Silver
-  Black/Red
-  Black/Green

Aluminium Deck    Anti Corrosion & Hook EVA Carpet  
 Deck Glove Compartment  
 Front Motor Foot Padel Connection  
 Multiple Functional Tool Shelf  
 Engine Lifting Switch (Including USB)  
 Navigation Light    Livewell & Storage Compartment Lights  
 LED Deck Mood Lighting    Triangle Fishing Chair \*1  
 Stern Fishing Chair \*1    Deck Fishing Rod Strap \*2  
 2.3m Length Fishing Rod Storage Compartment  
 Bow Storage Compartment \*2    Handle Lock \*2    Captain Seat \*2  
 Fiberglass Console with Switch, Oil Gauge, Voltmeter, Speedo  
 1.1m Length Livewell \*1    112L  
 Stern Storage Compartment \*2    with Plastic Handle \*2  
 Drainage System \*2    Water Inlet System  
 Water Circulation System    European Made Adjustable Outlet Valve  
 100L Aluminium Alloy Fuel Tank  
 Battery Compartment \*1 with Stainless Steel Handle Lock\*1  
 Stainless Steel Foldable Cleat\*4  
 American Made Fuel Filler Port  
 Stern Pull Ring \*2    Whole Hull Non Sinking Foam Process

## Specs★

|                   |            |
|-------------------|------------|
| CE Category       | C          |
| Length            | 5.38m      |
| Width             | 2.3m       |
| Transom Height    | 50cm       |
| Net Weight        | 525kg      |
| Material          | 5052       |
| Bottom Thickness  | 3mm        |
| Side Thickness    | 3mm        |
| Transom Thickness | 4mm        |
| Fuel Tank Volume  | Alu 100L   |
| Max Power         | 115HP/86kW |
| Shaft             | L          |
| Crew Limit        | 3          |

Max  +  +  547kg






**KM188**







## Standard Configuration★

### Hull Painting

|  |             |  |              |  |             |
|--|-------------|--|--------------|--|-------------|
|  | Silver/Blue |  | Black/Silver |  | Black/White |
|  | Black/Red   |  | Black/Green  |  |             |

ALL Welded \* Alum Deck \* Non-Plywood  
 Side Hull: 2-Color Painting Bottom Hull: Painting  
 Logo Decal: 2 Sided + KM188 Chrome Finish  
 Deck Floor: 2-Color EVA, Waterproof + UV Resistant  
 Rod Storage 2.4m(L) W/Protective Tubes, Alum + Carpet  
 Storage Compartment\*2, Alum + Carpet Wrapping  
 Alum Ice/Beverage Storage W/Multifunction Tool Shelf\*2  
 Storage Compartment\*4, Alum W/Plastic Boxes  
 Battery Compartment W/SEAFLO Battery Switch\*1  
 Livewell 112L W/Pumps Below:-  
 \* SEAFLO Inlet Pump 800GPH  
 \* SEAFLO Circulating Pump 800GPH  
 LED Mood Light Detachable Navigation Light 30cm  
 Lighting\*5 @Front Lockers, Livewell And Deck  
 Engine Lifting Switch W/USB Socket\*2  
 Deluxe FRP Side Console\*2 W/Acrylic Windshield  
 12-Gang Switch Panel W/USB Socket\*2 (5V/2.1A)  
 Deluxe Captain Seat\*2, Embroidery  
 Bicycle Seat\*1 W/Pedestal + 4"x4" SS316 Base Low-Back Seat W/Pedestal + 4"x8" SS316 Base  
 Air-Gas Spring\*6 SS316 Lock Catch\*6  
 SS316 Foldable Cleat 4.5"x4" Alum Bow Eye\*1  
 SS316 Fuel Filler Port\*1 Plastic Drain Plug\*1  
 SS304 Cup Holder\*2

Non-Sinking Foam Process  
 Gunwales: ARMOR Black Painting


Alum Fuel Tank 100L

\* SEAFLO Outlet Pump 800GPH  
 \* SEAFLO Auto Bilge Pump 750GPH  
 Detachable Stern White Light 1.2m  
 FRP Pedal Box W/Multi-Function Tool Shelf  
 12V/DC Wiring System & Junction Box  
 Speedo Gauge + Volt Gauge + Fuel Gauge  
 Engine Remote Control Box, Alum + Painting  
 Foldable Middle-Seat\*1  
 Elastic Strap\*4 For Fishing Rods  
 SS316 U-Bolt\*2  
 SS316 Floor Drain\*7  
 Alum Bracket\*2, For Fish Finder

## Specs★

|                   |             |
|-------------------|-------------|
| CE Category       | D           |
| Length            | 5.68m       |
| Width             | 2.3m        |
| Side Height       | 0.62m       |
| Transom Height    | 0.54m       |
| Net Weight        | 604kg       |
| Material          | 5052        |
| Bottom Thickness  | 3mm         |
| Side Thickness    | 3mm         |
| Transom Thickness | 4mm         |
| Fuel Tank Volume  | Alu 100L    |
| Max Power         | 175HP/130kW |
| Shaft             | (L Shaft)   |
| Crew Limit        | 4           |

Max 617kg



## Option★


\*Boat Cover W/Alum Poles\*2pcs \*Spot Light



**P110**








## Specs★

|                   |             |
|-------------------|-------------|
| CE Category       | D           |
| Length            | 3.30m       |
| Width             | 1.50m       |
| Transom Height    | 37cm        |
| Net Weight        | 84kg        |
| Material          | 5052        |
| Bottom Thickness  | 1.6mm       |
| Side Thickness    | 1.6mm       |
| Transom Thickness | 3mm         |
| Fuel Tank Volume  | NA          |
| Max Power         | 9.9HP/7.4kW |
| Shaft             | S           |
| Crew Limit        | 2           |






**P120**








## Specs★

|                   |             |
|-------------------|-------------|
| CE Category       | D           |
| Length            | 3.70 m      |
| Width             | 1.50 m      |
| Transom Height    | 37 cm       |
| Net Weight        | 92 kg       |
| Material          | 5052        |
| Bottom Thickness  | 1.6 mm      |
| Side Thickness    | 1.6 mm      |
| Transom Thickness | 3 mm        |
| Fuel Tank Volume  | NA          |
| Max Power         | 9.9HP/7.4kW |
| Shaft             | S           |
| Crew Limit        | 2           |





**V120**








### Specs★

|                   |             |
|-------------------|-------------|
| CE Category       | D           |
| Length            | 3.65m       |
| Width             | 1.48m       |
| Transom Height    | 37cm        |
| Net Weight        | 88kg        |
| Material          | 5052        |
| Bottom Thickness  | 1.6mm       |
| Side Thickness    | 1.6mm       |
| Transom Thickness | 3mm         |
| Fuel Tank Volume  | NA          |
| Max Power         | 15HP/11.2kW |
| Shaft             | S           |
| Crew Limit        | 2           |






**V130**





### Specs★

|                   |             |
|-------------------|-------------|
| CE Category       | D           |
| Length            | 4.00 m      |
| Width             | 1.48 m      |
| Transom Height    | 37 cm       |
| Net Weight        | 97 kg       |
| Material          | 5052        |
| Bottom Thickness  | 1.6 mm      |
| Side Thickness    | 1.6 mm      |
| Transom Thickness | 3 mm        |
| Fuel Tank Volume  | NA          |
| Max Power         | 15HP/11.2kW |
| Shaft             | S           |
| Crew Limit        | 2           |





**Z500**



**Z500**





**Z500**





## Standard Configuration★

### Hull Painting

- Blue/Silver
  Black/Silver
  Off-White/Black
  Orange/Black
  Fiber Green/Black

ALL Welded \* Aluminum Deck Non-Sinking Foam Process  
 Armor Black On Gunwales/Bow/Transom Top  
 WHOLE HULL PAINTING Including Side/Transom/Bottom  
 Deck: Anti-Corrosion/Anti-Hook Carpet  
 2-Color EVA, Waterproof + UV Resistant @Bow & Cockpit & Gunwale  
 Rod Storage 2.4m(L) W/Protective Tubes @Cockpit, Alum + Carpet  
 Rod Storage 2.4m(L) W/Protective Tubes @Left Side, Alum + Carpet  
 Storage Compartment\*9, Alum + Carpet Wrapping Alum Ice/Beverage Storage\*1  
 Storage Compartment\*2, Alum W/Plastic Boxes  
 Battery Compartment W/SEAFLO Battery Switch\*1 Alum Fuel Tank 150L  
 Livewell 95L W/Pumps Below:-  
 \* SEAFLO Inlet Pump 800GPH \* SEAFLO Outlet Pump 800GPH  
 \* SEAFLO Circulating Pump 800GPH \* SEAFLO Auto Bilge Pump 750GPH  
 Navigation Lights Detachable Stern White Light 1.2m  
 LED Cabin Light\*14 Console\*2 W/Tempered Glass Windshield  
 Fuel Gauge\*1 12-Gang Switch Panel W/USB Socket\*1 (5V/2.1A)  
 SS316 Grab Rail\*2  
 SPRINGFIELD Plug-In 3PCS/Set (Locking Swivel Seat Mount + Plug-In Pedestal + 9" Anodized Alum Base) Plus Deluxe Embroidery Seat \*2Sets @Cockpit Area  
 Foldable Seat\*2 @Back Row  
 Bicycle Seat\*1 W/Plug-In Pedestal + 9" Anodized Alum Base  
 9" Anodized Alum Base\*1 Air-Gas Spring\*1 SS316 Lock Catch\*9  
 SS316 Foldable Cleat 4.5"\*4 Alum Bow Eye\*1 SS316 U-Bolt\*2  
 SS316 Fuel Filler Port\*1 Plastic Drain Plug\*1 SS316 Floor Drain\*9  
 SS304 Cup Holder\*4 Inspection Cap\*1 Alum Bracket\*2, For Fish Finder(s)  
 Logo Decal: 2 Sided + Z500 Chrome Finish 12V/DC Wiring System & Junction Box

## Option★

\*Soft Cushion\*4PCS/Set @Front Deck \*Low-Back Seat W/Pedestal  
 \*Boat Cover W/Alum Pole\*2 \*China Maded Hydraulics Engine Mounting Bracket  
 \*Speedo Gauge \*Volt Gauge \*Spot Light \*MP3 Player W/Stereo System

## Specs★

|                                                                                         |            |
|-----------------------------------------------------------------------------------------|------------|
| CE Category                                                                             | D          |
| Length                                                                                  | 5m         |
| Width                                                                                   | 2.25m      |
| Side Height                                                                             | 0.70m      |
| Transom Height                                                                          | 0.51m      |
| Net Weight                                                                              | 716kg      |
| Material                                                                                | 5052       |
| Bottom Thickness                                                                        | 4mm        |
| Side Thickness                                                                          | 3mm        |
| Transom Thickness                                                                       | 4mm        |
| Fuel Tank Volume                                                                        | 150L       |
| Max Power                                                                               | 115HP/86kW |
| Shaft                                                                                   | L          |
| Crew Limit                                                                              | 5          |
| Max  | 615kg      |





**Z540**




# Z540





# Z540





## Standard Configuration★

### Hull Painting

- Blue/Silver
  Black/Silver
  Off-White/Black
  Orange/Black
  Fiber Green/Black

ALL Welded \* Alum Deck  
 Armor Black On Gunwales/Bow/Transom Top  
 WHOLE HULL PAINTING Including Side/Transom/Bottom  
 Deck: Anti-Corrosion/Anti-Hook Carpet  
 2-Color EVA, Waterproof + UV Resistant @Bow & Cockpit & Gunwale & Diving Platform  
 Rod Storage 2.4m(L) W/Protective Tubes @Cockpit, Alum + Carpet  
 Rod Storage 2.4m(L) W/Protective Tubes @Left Side, Alum + Carpet  
 Storage Compartment\*10, Alum + Carpet Wrapping  
 Alum Ice/Beverage Storage\*1 Storage Compartment\*2, Alum W/Plastic Boxes  
 Battery Compartment W/SEAFLO Battery Switch\*1 Alum Fuel Tank 200L  
 Livewell 95L W/Pumps Below:-  
 \* SEAFLO Inlet Pump 800GPH \* SEAFLO Outlet Pump 800GPH  
 \* SEAFLO Circulating Pump 800GPH \* SEAFLO Auto Bilge Pump 750GPH  
 Navigation Lights Detachable Stern White Light 1.2m  
 LED Cabin Light\*15 Console\*2 W/Tempered Glass Windshield  
 Fuel Gauge\*1 12-Gang Switch Panel W/USB Socket\*1 (5V/2.1A)  
 SS316 Grab Rail\*2 USB Socket\*1 @Co-pilot Console  
 SPRINGFIELD Plug-In 3PCS/Set (Locking Swivel Seat Mount + Plug-In Pedestal + 9"  
 Anodized Alum Base) Plus Deluxe Embroidery Seat \*2Sets @Cockpit Area  
 Diamond Quilted Padding Clapboard\*6PCS/Set @Both Sides  
 Sofa\*1Set @Back Row Bicycle Seat\*1 W/Plug-In Pedestal + 9" Anodized Alum Base  
 5"\*7" Alum Base\*1 Diving Platform\*2 SEAFLO Deck Flushing Pump\*1  
 SS316 Air-Gas Spring\*3 SS316 Lock Catch\*10 SS316 Foldable Cleat 4.5"\*4  
 Alum Bow Eye\*1 SS316 U-Bolt\*2 SS316 Fuel Filler Port\*1  
 Plastic Drain Plug\*1 SS316 Floor Drain\*7 SS304 Cup Holder\*4  
 Inspection Cap\*1 SS316 Foldable Ladder\*1 Alum Bracket\*2, For Fish Finder(s)  
 Logo Decal: 2 Sided + Z540 Chrome Finish 12V/DC Wiring System & Junction Box

Non-Sinking Foam Process

## Specs★

|                   |             |
|-------------------|-------------|
| CE Category       | D           |
| Length            | 5.4m        |
| Width             | 2.25m       |
| Side Height       | 0.72m       |
| Transom Height    | 0.63m       |
| Net Weight        | 822kg       |
| Material          | 5052        |
| Bottom Thickness  | 4mm         |
| Side Thickness    | 3mm         |
| Transom Thickness | 4mm         |
| Fuel Tank Volume  | 200L        |
| Max Power         | 150HP/110kW |
| Shaft             | XL          |
| Crew Limit        | 6           |

Max  +  +  754kg




## Option★


\*Soft Cushion\*4PCS/Set @Front Deck  
 \*Low-Back Seat W/Pedestal  
 \*China Maded Hydraulics Engine Mounting Bracket  
 \*Volt Gauge  
 \*Detachable Table 3PCS/Set  
 \*Boat Cover W/Alum Pole\*2  
 \*Speedo Gauge  
 \*MP3 Player W/Stereo System



**Y56220A**

Fence Color  
Customized






|                |                |               |                                              |
|----------------|----------------|---------------|----------------------------------------------|
| Model          | KERMAN YS6220A | CE Category   | C                                            |
| Overall Length | 6.220m         | Net Weight    | 1010kg                                       |
| Width          | 2.300m         | Crew Limit    | 5 persons                                    |
| Deck Length    | 6.150m         | Tube Quantity | 2 tubes                                      |
| Tube Diameter  | 0.635m         | Horsepower    | 60HP/44.7kW (L Shaft)<br>90HP/67kW (L Shaft) |



# K20 FISH

Fence Color  
Customized








|                |                 |               |                       |
|----------------|-----------------|---------------|-----------------------|
| Model          | KERMAN K20 FISH | CE Category   | C                     |
| Overall Length | 6.050m          | Net Weight    | 900kg                 |
| Width          | 2.580m          | Crew Limit    | 4 persons             |
| Deck Length    | 5.520m          | Tube Quantity | 2 tubes               |
| Tube Diameter  | 0.635m          | Horsepower    | 60HP/44.7kW (L Shaft) |



**K24**

Fence Color  
Customized







|                |            |               |                                                 |
|----------------|------------|---------------|-------------------------------------------------|
| Model          | KERMAN K24 | CE Category   | C                                               |
| Overall Length | 7.240m     | Net Weight    | 1160kg                                          |
| Width          | 2.580m     | Crew Limit    | 8 persons                                       |
| Deck Length    | 6.710m     | Tube Quantity | 2 / 3 tubes                                     |
| Tube Diameter  | 0.635m     | Horsepower    | 115HP/84.6kW (L Shaft)<br>150HP/110kW (L Shaft) |



**K25**

Fence Color  
Customized







|                |            |               |                                                |
|----------------|------------|---------------|------------------------------------------------|
| Model          | KERMAN K25 | CE Category   | C                                              |
| Overall Length | 7.600m     | Net Weight    | 1220kg                                         |
| Width          | 2.580m     | Crew Limit    | 8 persons                                      |
| Deck Length    | 7.080m     | Tube Quantity | 2 / 3 tubes                                    |
| Tube Diameter  | 0.635m     | Horsepower    | 150HP/110kW (L Shaft)<br>200HP/149kW (L Shaft) |



**K27**

Fence Color  
Customized





|                |               |               |                                                |
|----------------|---------------|---------------|------------------------------------------------|
| Model          | KERMAN K27    | CE Category   | C                                              |
| Overall Length | 8.220m        | Net Weight    | 1500kg                                         |
| Width          | 2.600m/2.800m | Crew Limit    | 8 persons                                      |
| Deck Length    | 7.880m        | Tube Quantity | 3 tubes                                        |
| Tube Diameter  | 0.635m/0.710m | Horsepower    | 150HP/110kW (L Shaft)<br>250HP/186kW (L Shaft) |





BUILT FOR THE WATERS AHEAD

*Bright lu*

*phone number :008613901452628*

*Email:luohui@kaiptrade.com*

*Huaian AST Amusement Equipment Co., Ltd.*

*Huaian Kaip International Trade Co.,Ltd.*

*Address:C2,Floor 3,Building 1,NO.16 East Shenzhen*

*Road,Qingjiangpu District,Huaian,Jiangsu ,China*

*<http://jsast.en.alibaba.com>*

*<http://kaip.en.alibaba.com>*